


PRODUCT CATALOG

Slab Tiles

1200 x 2400 MM 800 x 2400 MM 900 x 1800 MM 800 x 1600 MM 1200 x 1200 MM

→ `







- --- 6mm thickness
- 9mm thickness









BRECCIA CLASSIC

BROCKEN BRECIA (BOOK MATCH)














- → 6mm thickness
- **9mm** thickness




ALTIMO WHITE

ALTIMO WHITE (BOOK MATCH)







GLOSSY FINISH 1200x2400mm

- 6mm thickness
- 9mm thickness

- → 6mm thickness
- 9mm thickness





ANTIQUE STATUARIO





9mm thickness









ARMANI GREY








GLOSSY FINISH 1200x2400mm

- ---- 6mm thickness
- 9mm thickness



ARCH CLASSIC

ARMANI GOLD







ARCTIC WHITE



ARCTIC WHITE (BOOK MATCH)








GLOSSY FINISH 1200x2400mm

- ---- 6mm thickness
- 9mm thickness

- → 6mm thickness
- **9mm** thickness









ATLANTIC WHITE


ATLANTIC WHITE (CONTINUE)


COVELANO LASA



COVELANO LASA (BOOK MATCH)









GLOSSY FINISH 1200x2400mm

- ---- 6mm thickness
- 9mm thickness

GLOSSY FINISH 1200x2400mm

- → 6mm thickness
- 9mm thickness









CRISTAN STONE


DIAMOND WHITE

 \sim 22

→ 6mm thickness

EMPERADOR OSCURO

9mm thickness

















FUSION BLACK (BOOK MATCH)



GLORIOUS WHITE (CONTINUE)









- 6mm thickness
- 9mm thickness

- 6mm thickness














ONYX VANILA

FOREST BROWN



- 9mm thickness







M-1001



M-1004

M-1002













GLOSSY FINISH 1200x2400mm

- → 6mm thickness
- 9mm thickness

- --- 6mm thickness
- 9mm thickness









ONICE WHITE

ONICE WHITE (BOOK MATCH)

MARIYAN BROWN (BOOK MATCH)



MAGMA BLACK








- → 6mm thickness
- 9mm thickness







- → 6mm thickness
- 9mm thickness












IRIS GREY


DYNA SUPREME

CLRYS WHITE

PORCH WHITE









- → 6mm thickness
- **9mm** thickness


PORTORO SILVER



PRIMA WHITE








GLOSSY FINISH 1200x2400mm

- ---- 6mm thickness
- 9mm thickness

- → 6mm thickness
- 9mm thickness











SONATA BRONZE

SONATA WHITE

- → 6mm thickness
- 9mm thickness








SAHARA BLACK



SPIDER NATURAL


STATUARIO BELGIA (CONTINUE)



STATUARIO NATURAL







GLOSSY FINISH 1200x2400mm

- → 6mm thickness
- 9mm thickness

- → 6mm thickness
- 9mm thickness







TRAVENTINO GOLD



TRAVENTINO CREMA

TRAVENTINO BEIGE



TOBACCO BROWN







- → 6mm thickness
- **9mm** thickness



- **6mm** thickness
- 9mm thickness









WILLIAM BIANCO (CONTINUE)

CRISTALLO ONYX

TURKE LANA





GLOSSY FINISH 1200x2400mm


- → 6mm thickness
- **9mm** thickness



MATT+ GLOSSY 1200x2400mm

- **6mm** thickness
- **9mm** thickness







CORTEN BEIGE VERANDA BREI

STUCCO BEIGE






MATT+ CARVING 1200x2400mm


- 6mm thickness

9mm thickness









- 6mm thickness - 9mm thickness


TUNA ROCK ICE



TUNA ROCK GREY







PLAIN RUSTIC 1200x2400mm

- 9mm thickness

PLAIN RUSTIC 1200x2400mm


- --- 6mm thickness
- **9mm** thickness






SANDUNE CAFE





800x2400mm | 32x96" | 2.5x8ft

A unique range of tile size made to present your space with utter sophistication and produce a layer like effect when laid.



ARMANI BEIGE





GLOSSY 800x2400mm

- ---- 6mm thickness
- 9mm thickness

ARMANI GOLD





GLOSSY 800x2400mm

- → 6mm thickness
- **9mm** thickness









ARCTIC WHITE

BRECCIA LAVA



COSMOS BLACK






GLOSSY 800x2400mm

- 9mm thickness

COSMOS WHITE





GLOSSY 800x2400mm

- → 6mm thickness
- 9mm thickness












DYNA SUPREME


GLOSSY 800x2400mm

- --- 6mm thickness
- **9mm** thickness









GALAXY OCEAN (BOOK_MATCH)





GLOSSY 800x2400mm

---- 6mm thickness

9mm thickness

GALAXY AMBRA (BOOK_MATCH)





GLOSSY 800x2400mm

→ 6mm thickness

9mm thickness







IMPERIAL WHITE

ONICE WHITE







- --- 6mm thickness
- 9mm thickness







PORCH WHITE

SAHARA BLACK







- 9mm thickness





ONYX VANILA

VANATO STATUARIO





GLOSSY 800x2400mm

- 9mm thickness

VENUS CREMA





- 6mm thickness
- 9mm thickness






WINDSOR BLUE



CANYON BEIGE





MATT+ GLOSSY 800x2400mm


---- 6mm thickness

9mm thickness

CANYON BROWN







FEBRICO BROWN FEBRICO CREMA









- 9mm thickness

MATT+ GLOSSY 800x2400mm

- --- 6mm thickness
- 9mm thickness









URBAN BIANCO


URBAN GRIGIO



900x1800mm | 36x72" | 3x6ft


It is a conventional rectangular size to get along perfectly with any space.

The reformed edges, merest width grout joints can be used which do not interrupt the continuity of the surface and guarantee a great refinement.







ALDO BEIGE



ANTIQUE STATUARIO



ARGOS BLACK



GLOSSY FINISH 900x1800mm

6mm thickness

9mm thickness

ARMANI BEIGE




GLOSSY | 900x1800mm

→ 6mm thickness

9mm thickness


ARMANI GOLD



ARMANI GREY




ARMANI GRIS




ATLANTIC WHITE




BLACK CORAS



- 6mm thickness











LAVA BRACCIA ONICIATA



BRECCIA AURORA BEIGE

good as gold

WALL & FLOOR
BRECCIA LAVA



GLOSSY FINISH 900x1800mm


6mm thickness **9mm** thickness







ROMANTIC STATUARIO



GLOSSY 900x1800mm

- --- 6mm thickness
- 9mm thickness

EMPRADOR NATURAL



CLRYS WHITE




DOMINO MARFIL



DYNA BEIGE



CLASSIC EMPERADOR



GLOSSY 900x1800mm

→ 6mm thickness

9mm thickness



EVEN GREY FOREST BROWN

HELIX WHITE



HIMALAYA WHITE



GLOSSY FINISH

900x 1800mm

→ 6mm thickness 9mm thickness

6mm thickness | 9mm thickness

IMPACT STATUARIO



LEOPARD BLACK








MADERA FOREST



MARINA PEDRA




MONTANA GREY



GLOSSY 900x1800mm

- 6mm thickness
- 9mm thickness




PIETRA SMOKE




GLOSSY | 900x1800mm

- --- 6mm thickness
- 9mm thickness

NOCE MARRONE



ONICE WHITE






ONYX VANILA



ONYX RIVIERA



OPERA AZUL




RED GRANITE






RIGATO WHITE


BOTTOCHINO ULTRA



ROSALIA BEIGE



SAHARA BLACK



GLOSSY FINISH 900x1800mm

- → 6mm thickness
- **9mm** thickness


SAHARA WHITE



SPIDER NATURAL



STATUARIO NATURAL



GLOSSY 900x1800mm


- --- 6mm thickness
- 9mm thickness

TRAVERTINO IVORY



TRAVENTINO CARMEL









VANATO STATUARIO



VALENCIA CREMA



VENUS CREMA



GLOSSY 900x1800mm

- → 6mm thickness
- **9mm** thickness

WHITE TIGER ONYX



WONDER BEACH
















BASIL BROWN



VINTAGE ALMENDRA



VINTAGE DESERT





VINTAGE MARRONE



SENTILIA BROWN









SENTILIA GRIS










PLAIN 900x1800mm RUSTIC 6mm thickness


9mm thickness



VENZA HL (MATT+GLOSSY)









800x1600mm | 32x64" | 2.5x5ft

These are the most conventional tile as it is easy to lay, and extremely versatile; which is suitable for rooms of any size with many different technical and aesthetic requirements.





- **6mm** thickness
- **9mm** thickness









GLOSSY 800x1600mm

- → 6mm thickness
- **9mm** thickness

- **6mm** thickness
- 9mm thickness





GLOSSY FINISH 800x1600mm

- 6mm thickness
- **9mm** thickness

BRECCIA AURORA BIANCO BRECCIA CLASSIC BRECCIA LIGHT

GLOSSY FINISH 800x1600mm

- **6mm** thickness
- 9mm thickness



BRECCIA MAX













GLOSSY 800x1600mm


- ---- 6mm thickness
- 9mm thickness






GLOSSY 800x1600mm

- 6mm thickness
- **9mm** thickness





- --- 6mm thickness
- **9mm** thickness











CREMA MARFIL









- --- 6mm thickness
- **9mm** thickness










DOMINO MARFIL






DOMINO GREY












- 6mm thickness
- 9mm thickness

IMPACT STATUARIO MADERA FOREST MARBELLA WHITE




GLOSSY FINISH 800x1600mm

- --- 6mm thickness
- 9mm thickness




- ---- 6mm thickness
- 9mm thickness





- → 6mm thickness
- 9mm thickness



- --- 6mm thickness
- **9mm** thickness











EMPRADOR BEIGE


EMPRO BEIGE

EVEN GREY









- --- 6mm thickness
- **9mm** thickness






- 6mm thickness
- 9mm thickness






GLOSSY 800x1600mm

- → 6mm thickness
- **9mm** thickness







- → 6mm thickness
- **9mm** thickness

- --- 6mm thickness
- **9mm** thickness














SAHARA BLACK










SPARKLE WHITE







- --- 6mm thickness
- **9mm** thickness

















- → 6mm thickness
- **9mm** thickness









TRAVENTINO IVORY







TRAVENTINO ROMAN





TRAVERTINE AMRILLA TRAVERTINE MARRON TRAVERTINO CHOCO

GLOSSY FINISH 800x1600mm

- **6mm** thickness
- **9mm** thickness











GLOSSY 800x1600mm

- **6mm** thickness
- 9mm thickness



MATT+ GLOSSY 800x1600mm

- --- 6mm thickness
- **9mm** thickness









ABSTRACT DECOR







AMMONITE NERO AMMONITE BIANCO RUDE METAL

MATT+ GLOSSY 800x1600mm

- **9mm** thickness

MATT+ GLOSSY 800x1600mm

- **6mm** thickness
- 9mm thickness

LARCH WOOD BEIGE OAKWOOD BEIGE OAKWOOD BROWN

---- 6mm thickness



- ---- 6mm thickness
- 9mm thickness













STONEAGE COPPER


CANYON BEIGE

CANYON BROWN



IMPERIA BEIGE

IMPERIA VERDE













PLAIN 800x1600mm

- → 6mm thickness
- **9mm** thickness

PLAIN 800x1600mm

- --- 6mm thickness
- **9mm** thickness












ATLANTIC WHITE





LINEAR NERO







PLAIN 800x1600mm

- **6mm** thickness
- 9mm thickness



PLAIN 800x1600mm

- **6mm** thickness
- **9mm** thickness



- ---- 6mm thickness
- 9mm thickness





RICH 800x1600mm

- 6mm thickness
- **9mm** thickness



RICH 800x1600mm

- **6mm** thickness
- **9mm** thickness











RICH 800x1600mm

- **6mm** thickness
- **9mm** thickness




1200x1200mm | 48x48" | 4x4ft

A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.





ALTIMO WHITE (BOOK MATCH)





ANTIQUE STATUARIO







GLOSSY FINISH 1200x1200mm


- 6mm thickness
- **9mm** thickness

GLOSSY FINISH 1200x1200mm


- --- 6mm thickness
- 9mm thickness


ARMANI GOLD






ARMANI GREY






ARCTIC WHITE





ARCTIC WHITE (BOOKMATCH)





GLOSSY FINISH 1200x1200mm

- 6mm thickness
- 9mm thickness

GLOSSY FINISH 1200x1200mm

- --- 6mm thickness
- 9mm thickness

ATLANTIC WHITE





BIANCO DOLIMITI





BRECCIA CLASSIC









BRECCIA LAVA







GLOSSY FINISH 1200x1200mm

- 6mm thickness
- **9mm** thickness

GLOSSY FINISH 1200x1200mm

- --- 6mm thickness
- 9mm thickness

BRECCIA AURORA BEIGE







BRECCIA BEIGE








STOINIS NATURAL











MARINA PEDRA







GLOSSY FINISH 1200x1200mm


- 6mm thickness
- **9mm** thickness

GLOSSY FINISH 1200x1200mm

- --- 6mm thickness
- **9mm** thickness

COVELLANO LASA















DYNA SUPREME





FOREST BROWN





GLOSSY FINISH 1200x1200mm

- 6mm thickness
- **9mm** thickness

GLOSSY FINISH 1200x1200mm


- --- 6mm thickness
- 9mm thickness

GLORIOUS WHITE





IMPACT STATUARIO









TRAVENTINO CREMA







TRAVENTINO GOLD





GLOSSY FINISH 1200x1200mm

- 6mm thickness
- **9mm** thickness

GLOSSY FINISH 1200x1200mm

- --- 6mm thickness
- 9mm thickness

MARIYAN BROWN (BOOKMATCH)






NOCE MARRONE






ONICE WHITE









ONYX VANILA





GLOSSY FINISH 1200x1200mm


- 6mm thickness
- 9mm thickness

GLOSSY FINISH 1200x1200mm

- --- 6mm thickness
- 9mm thickness

PORCH WHITE


















TURKE LANA






VANATO STATUARIO






GLOSSY FINISH 1200x1200mm

- --- 6mm thickness
- 9mm thickness




ALDO BEIGE






ALDO SPHERE





GLOSSY FINISH 1200x1200mm

- ---- 6mm thickness
- 9mm thickness



MADERA FOREST









TRAVENTINO BEIGE





GLOSSY FINISH 1200x1200mm


- 6mm thickness
- 9mm thickness

M ATT+ GLOSSY 1200x1200mm


- **6mm** thickness
- **9mm** thickness


BALSA BEIGE





DESERT IRONWOOD







OREGON BEIGE







AMMONITE NERO










MATT+ GLOSSY 1200x1200mm

- 6mm thickness
- **9mm** thickness

M ATT+ GLOSSY 1200x1200mm

- --- 6mm thickness
- 9mm thickness

AMMONITE BIANCO









OREGON NATURAL







FEBRICO CREMA



FEBRICO BROWN





MATT+ GLOSSY 1200x1200mm

- 6mm thickness
- **9mm** thickness

M ATT+ GLOSSY 1200x1200mm

- --- 6mm thickness
- 9mm thickness

CASPIAN WHITE






GRAFITO GREY





GRAFITO GRIS





GRAFITO NATURAL





MATT+ GLOSSY 1200x1200mm

- 6mm thickness

9mm thickness


M ATT+ GLOSSY 1200x1200mm

--- 6mm thickness

9mm thickness

ROCKFORD NATURAL





PLAIN RUSTIC 1200x1200mm


→ 6mm thickness

9mm thickness

SANDUNE CAFE















PLAIN RUSTIC 1200x1200mm

6mm thickness


9mm thickness

SENTILIA CREMA



SENTILIA BROWN





TUNA ROCK ICE











TUNA ROCK GREY








PLAIN 1200x1200mm

- ---- 6mm thickness
- 9mm thickness

PLAIN RUSTIC 1200x1200mm


- --- 6mm thickness
- 9mm thickness


BASIL GRAFITO






SENTILIA GRIS






SENTILIA ICE





PLAIN 1200x1200mm

- --- 6mm thickness
- 9mm thickness



TECHNICAL SPECIFICATION OF SLAB VITRIFIED TILE

TEST DISCRIPTION							
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	VALUE				
Deviation in Length	ls-13630-1	±0.10%	±0.05%				
Deviation in Width	ls-13630-1	±0.10%	±0.05%				
Deviation in Thickness	ls-13630-1	±5.0%	±3.00%				
Straightness of Sides	ls-13630-1	±0.10%	±0.10%				
Rectangularity	ls-13630-1	±0.10%	±0.10%				
Surface Flatness	Is-13630-1	±0.50%	±0.2%				
Surface Quality	ls-13630-1	Min. 95%	Min. 95%				
PHYSICAL PROPERTIES							
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	VALUE				
Water Absorption	Is-13630-2	≥0.08% Avg.	0.04% Avg.(±0.02%)				
Modulus of Rapture(N/mm2)	Is-13630-6	Avg. 35N/mm²	Avg. 42N/mm²				
Breaking Strength(N)	ls-13630-6	<7.5mm-700n ≥7.5mm-1300n	<6mm-1200n ≥6mm-1350n				
Moisture Expansion(mm/m)	ls-13630-3	0.02 Max	0.01 Max				
Scratch Hardness of Surface	ls-13630-13	8 Min	4-4.5				
Resistance of Surface Abrasion(Glazed Tiles)	ls-13630-11	Class I Min.	Class I Min.				
Co-Efficent of Linear Thermal Expansion	Is-13630-4	6x10 ⁻⁶ Max	6.5x10 ⁻⁶ Max.				
Thermal Shock Resistance	ls-13630-5	10 Cycles Min.	10 Cycles, Pass				
Crazing Resistance	ls-13630-9	4 Cycles at 7.5 Bar Min.	5 Cycles at 7.5kg Pressur				
Impact Resistance-Coefficent of Restitution	ls-13630-14	0.55 Min.	0.55 Min				
Frost Resistance	ls-13630-10	According to Manufacturing Process	No Damage				
Bulk Density (g/cc)	ls-13630-2	2.2 Min.	2.3				
CHEMICAL PROPERTIES							
CHARACTERISTIC	TEST METHOD	STANDARD VALUE	VALUE				
Resistance of Staining	ls-13630-8	Class I Min.	ClassII				
Resistance of Household Chemicals	ls-13630-8	Class AA Min.	Class AA				
Resistance to Acids & Alkalis	ls-13630-8	According to Manufacturing Process	Resistance				
Slip Resistance	150-13006/EN1444 Group BIA	As pr Mfg.	>0.40				

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box(approx.)
01	1200x2400mm	9.0mm	1 pcs.	2.88 sq. mtr.	60 Kgs.
02	800x2400mm	9.0mm	2 pcs.	3.84 sq. mtr.	80 Kgs.
03	900x1800mm	9.0mm	2 pcs.	3.24 sq. mtr.	65 Kgs.
04	800x1600mm	9.0mm	2 pcs.	2.56 sq. mtr.	54 Kgs.
05	1200x1200mm	9.0mm	2 pcs.	2.88 sq. mtr.	60 Kgs.

SLAB LAYING INSTRUCTIONS

■ Plaster the surface of the floor to be tiled smooth and complete the plastering and curing at least two hour prior to tilling.




- Before fixing SLAB, lay them out in desired pattern and make sure that give acceptable blend of colour. Please not that certain amount of shade variation is inherent in the manufacture of a fully vitrified ceramic tile.
 THE COMPANY WALL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- For fixing **SLAB**, we recommend the use of the tile fixing adhesive for best result. Also follow the tile fixing instructions provided along with adhesives.
- For fixing **SLAB** on the floor using sand and cement follow the instructions given bellow:
- Use cement and sand mortar in the ratio of 1:4 add some water to create a consistent paste.
- Once the mixing has been completed do not add any further water to create a consistent paste.
- Apply a 20-30mm layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and dull bedding, press gently for even adherence at the back of the tile.


 DO NOT USE IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILES.
- For fixing **SLAB** on dado, we recommend the use of adhesive. Please follow the manufacture's instructions for the same. We do not recommend the use of sand and cement for fixing on dado.
- Mark and layout the tiles from the center of the area to be tile so that cut tiles. If any will be on the outer edges to words the walls.
- The work size which we try to maintain for better technical performance is 1200x2400mm, 800x2400mm,900x1800mm, 800x1600mm, & 1200x1200mm on average. it is advisable to maintain a gap of 1mm to 3mm between every two tile to allow for possible expansion as per BIS/EN tolerance norms. This would give the coverage area as mentioned in the cartoon.
- Complete the tile laying process by pressing the center of the **SLAB** firmly into place along the walls/floors.
- Allow 3-4 days for bed curing. After this period fill the joints with grouts.
- Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tile with a soft and dry cloth for a clean surface. The tile can also be cleaned by mild acid(however hydrofluoric acid and its derivatives should not be used)
- Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.


TILING POSSIBILITIES

800X1600MM



1200X1200MM





- Opp. Hotel Excellency, Nr, Rachna Society, Deesa-palanpur Highway, Deesa 385535, Gujarat.
- **(+91)** 9574191183
- www.topnotchtiles.com