

POLISHED



Collection_2023



About us /

At Top-notch tiles, building quality is our top priority, and it speaks for itself. Since our establishment in 2010, we have remained committed to delivering superior products to our valued clients. We understand that quality starts right from the selection of the finest raw materials for our products and continues throughout the entire manufacturing process. Our skilled labour meticulously oversees every step of production, ensuring that each product meets our high standards. We believe in the power of micro management to maintain consistent quality and address any potential issues promptly.

Innovation is at the core of our company's values, and our dedicated Research and Development team continuously explores new surfaces and designs. By closely examining various application aspects, we create dynamic designs and vibrant colors that captivate the senses. With a strong focus on quality and innovation, we take pride in offering products that not only meet but exceed our clients' expectations.

Our commitment to excellence drives us to deliver exceptional building materials that stand the test of time and enhance the aesthetic appeal of any project.



www.topnotchtiles.com



Message from Directors:



Top-notch tiles operates its manufacturing plant in India, along with corporate offices in London and Ahmedabad. We take great pride in our ability to deliver an exceptional level of service satisfaction to our valued clients. At the core of our operations is a relentless commitment to exceeding customer expectations.

We believe in going above and beyond to ensure that our clients receive the highest level of service possible. Our dedication to providing an optimum level of service sets us apart from others in the industry. When you choose our company, you will experience the difference in our unwavering commitment to meeting your needs. We strive to build long-lasting relationships with our clients by delivering exceptional service, prompt communication, and reliable support. Your satisfaction is our top priority, and we work tirelessly to ensure that we consistently meet and exceed your expectations.

Whether you require our products or services, you can trust us to provide an unparalleled level of commitment and dedication. We are confident that once you experience our level of service, you will see why we stand out from the competition.



Available
Format /



60x
120cm

60x
60cm


30x
60cm



Available
Thickness /



9mm



FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



ACURA BEIGE



ACURA WHITE



AMAZE GRIS



AMAZE NATURAL

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



AMAZE NERRO



ANTICO HAZELWOOD



ANTILA SKY



ARMANI EXOTIA CREMA

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ARMANI LORIAL



ARMANI LORIAL BROWN



ARMANI LORIAL CAFÉ



ARMANI LORIAL CREAMY

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



ARMANI LORIAL NATURAL



ARMANI LORIAL NERO



ARMANI LORIAL TAWNY



ARORA ARMANI RUST



FINISHES

MARBELLA WITH POLISHED



THICKNESS

9 MM



FORMAT



PORCELAIN
STONEWARE

- 

HIGH MODULE OF BREAKAGE



RESISTANCE TO FROST



RESISTANCE TO ABRASION



LOW THERMAL EXPANSION



RESISTANT TO STAINS



LOW ABSORPTION



RESISTANT TO CHEMICAL



MINIMUM DEVIATION FROM EDGE



UNDER FLOOR HEATING



ARORA ARMANI



ARORA ARMANI COCO



ARORA ARMANI WHITE



ASTONIA BLACK

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



ASTRUM SMOKE



BELGIUM NL



BEIGE ARMANIA



BOMANIA

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



BOTTICHINO BRITON



BOTTICHINO FRITO



BOTTICHINO JERICO



BOTTOCHINO CARDIO

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



BRECCIA ERA



BRECCIA FIAGRO



BRECCIA FOG



BRECCIA KRNIS

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



BRECCIA LS



BRECCIA MIRANDA GOLD



BRECCIA PRIME CR



BRECCIA PRIME FAIR

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



BRECCIA PRIME SAND



BRECCIA SMOGY



BRECCIA SNAR



BRIÒ BIANCO


FINISHES
MARBELLA WITH
POLISHED


THICKNESS
9 MM


FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- 
HIGH MODULE OF
BREAKAGE


RESISTANCE TO
FROST


RESISTANCE TO
ABRASION


LOW THERMAL
EXPANSION


RESISTANT TO
STAINS


LOW
ABSORPTION


RESISTANT TO
CHEMICAL


MINIMUM DEVIATION
FROM EDGE


UNDER FLOOR
HEATING



BRIO CARBON_



BRIO COCOA



BRIO IVORY



BRUSSELS BC

 FINISHES

MARBELLA WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



BRUSSELS IRON



BURBERRY CREMA



BURBERRY GOLD



BURBERRY WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



CARARA MACAROON



CLASSIC INKY BLACK



CLOUDY ARMANI



COZY FLAXE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



COZY NATURAL



COZY PASTEL



COZY SMOKEY



COZY SNOW WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



CRIST TEN



DORLIN BEIGE



DORLIN BIANCO



DYNA ASPRO

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

↓
HIGH MODULE OF
BREAKAGE

❄
RESISTANCE TO
FROST

⤵
RESISTANCE TO
ABRASION

↕
LOW THERMAL
EXPANSION

☑
RESISTANT TO
STAINS

💧
LOW
ABSORPTION

⚗
RESISTANT TO
CHEMICAL

⚡
MINIMUM DEVIATION
FROM EDGE

🔥
UNDER FLOOR
HEATING



DYNA MART



DYNA PARADISE CAMEL



DYNA SUPREME



EPOXY BLUE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



EPOXY GOLD



EXOTIA ARMANI BLUE



FANTASTICO



FINO NATURAL

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



FINO PEARLY GOLD



FORD ARMANI



FORD ARMANI BIANCO



FORD ARMANI CREAMA


FINISHES
MARBELLA WITH
POLISHED


THICKNESS
9 MM


FORMAT



PORCELAIN
STONEWARE

- 
HIGH MODULE OF
BREAKAGE
- 
RESISTANCE TO
FROST
- 
RESISTANCE TO
ABRASION
- 
LOW THERMAL
EXPANSION
- 
RESISTANT TO
STAINS
- 
LOW
ABSORPTION
- 
RESISTANT TO
CHEMICAL
- 
MINIMUM DEVIATION
FROM EDGE
- 
UNDER FLOOR
HEATING



FORD ARMANI RUST



FRESCO SILVER



FRESCO CREMA



FUSION GOLD

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



GRAND ARMANI GREY



GRAND ARMANI ICE



GRAND ARMANI IVORY



INDIC SAPPHIRE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



JASTO COIN



JASTO PORPOISE



LUCIDO ARMANI



LUCIDO ARMANI LAWA

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT



PORCELAIN
STONEWARE



LUCIDO ARMANI VELVET



LUCIDO ARMANIBIANCO



LYSORIA TORTILLA



MADRID COFFE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



MADRID DOVE



MADRID FINO



MADRID GREIGE



MADRID VOLCANO

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



MARFIL CLASSIC



MARFIL GANACHE



MARFIL PERSIAN



MARMI DESERT

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



MARMO FUSION BEIGE



MARMO FUSION BROWN



MARMO FUSION GREY



MIAMI RAFFIA

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



NATURAL ARMENIA



NEXO SLATE



ONYX ATLANTO



ONYX CLASSIC WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ONYX CLUDY SKY



ONYX EXPOSED



ONYX FLORIM



ONYX LALIC

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



ONYX NIMBUS



ONYX OLIVE



ONYX PEARL GOLD



ONYX RENOVA WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION




RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



ONYX SEAM BLANCA



ONYX THUNDER



ONYX WAVES



OROBICO CREST

 FINISHES

MARBELLA WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



PERSIAN



PERSIAN ARGENTINE



PERSIAN CHALKY



PERSIAN NERO

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



PIETRA GUNMETAL



PIETRA MOCHA



PIETRA MURKY



PIETRA PEACHY

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



PIETRA TROUT



QUANTIC ASH



QUANTIC BEIGE



QUANTIC WHITE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



RIVIERA AZUL



SIENA LINEN



SIENA SEPIA



SIENA TAUP

△ FINISHES
MARBELLA WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



SIENA WHITE



SILVER ARMENIA



STONEX FISSURE ASPHALT



STONEX SCOTCH MIST

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



THUNDER GRIS



TRAVERA BISCOTTI



TRAVERTINE BELGIUM



TRAVERTINE TITANIUM

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



TRAVERTINO MARVIE



TRAVERTINO NOCE



TURKISH NERO SHADOW



TURKISH PEBBLE

FINISHES
MARBELLA WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



VAINOS FOSSIL



VALENCIA OLD LACE



WILLIAM COLD PEWTER



WILLIAM FISSURE ALMOND



 FINISHES
MARBELLA WITH
POLISHED

 THICKNESS
9 MM

 FORMAT



PORCELAIN
STONEWARE



ZORANI NATURAL

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



ACHROMIC BLACK



ACHROMIC BLUE



ACHROMIC GREY



ACHROMIC LIGHT

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



ACHROMIC NATURAL



AFYON BEIGE



AFYON GOLD



AFYON NERO

△ FINISHES
COLORATO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



AFYON WHITE



AFYON BLUE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



ALFA AZURO



ALFA KLEIN BLUE

△ FINISHES
COLORATO WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT




PORCELAIN
STONEWARE



ALFA SILVER



ALFA TIGER



ALFREDO LIGHT



ALFREDO NATURAL

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM


FORMAT



PORCELAIN
STONEWARE



ARTISTIC BEIGE



ARTISTIC BLACK



ARTISTIC CREMA



ARTISTIC GREY

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE


- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



ARTISTIC WHITE



BOSSY



BRUNO ASH



BRUNO BLUE

 FINISHES

COLORATO WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



BRUNO NERRO



BRUNO WHITE



BURBERRY BEIGE



BURBERRY GREY


FINISHES
 COLORATO WITH
 POLISHED


THICKNESS
 9 MM


FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- 
 HIGH MODULE OF
 BREAKAGE


 RESISTANCE TO
 FROST


 RESISTANCE TO
 ABRASION


 LOW THERMAL
 EXPANSION


 RESISTANT TO
 STAINS


 LOW
 ABSORPTION


 RESISTANT TO
 CHEMICAL


 MINIMUM DEVIATION
 FROM EDGE


 UNDER FLOOR
 HEATING



BURBERRY NATURAL



BURBERRY CREMA



EBONY BLACK



EBONY BROWN

 FINISHES

COLORATO WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



EBONY GOLD



EBONY IVORY



EBONY NATURAL



EBONY WHITE


FINISHES
 COLORATO WITH
 POLISHED


THICKNESS
 9 MM


FORMAT



PORCELAIN
STONEWARE

- 
 HIGH MODULE OF
BREAKAGE
- 
 RESISTANCE TO
FROST
- 
 RESISTANCE TO
ABRASION
- 
 LOW THERMAL
EXPANSION
- 
 RESISTANT TO
STAINS
- 
 LOW
ABSORPTION
- 
 RESISTANT TO
CHEMICAL
- 
 MINIMUM DEVIATION
FROM EDGE
- 
 UNDER FLOOR
HEATING



EXOTIC STONE NATURAL



FEDERICO GOLD



FEDERICO BROWN



FEDERICO GREY

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



FEDERICO NATURAL



FEDERICO WHITE



FENICE GREY



FENICE NATURAL

 FINISHES

COLORATO WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



FENICE WHITE



GLORIOUS BLACK



GLORIOUS BROWN



GLORIOUS IVORY

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING




GLORIOUS WHITE



GRANITILO NATURAL



GRAZIA CYAN



GRAZIA GREY

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



GRAZIA IVORY



GRAZIA NATURAL



GRAZIA WHITE



ICONIC BEIGE

FINISHES

THICKNESS

COLORATO WITH POLISHED

9 MM

FORMAT

- 60x120cm
- 60x60cm
- 30x60cm

PORCELAIN
STONEWARE

- 

HIGH MODULE OF BREAKAGE



RESISTANCE TO FROST



RESISTANCE TO ABRASION



LOW THERMAL EXPANSION



RESISTANT TO STAINS



LOW ABSORPTION



RESISTANT TO CHEMICAL



MINIMUM DEVIATION FROM EDGE



UNDER FLOOR HEATING

ICONIC BLUE

ICONIC GOLD

ICONIC NATURAL

ICONIC WHITE

△ FINISHES
COLORATO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



IMPERIAL IVORY



IMPERIAL NATURAL



MARCELLO IVORY



MARCELLO WHITE

FINISHES
COLORATO WITH
POLISHED

THICKNESS
9 MM


FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



MINGELO BLUE



MINGELO NATURAL



PERLATO BEIGE



PERLATO GREY


FINISHES
 COLORATO WITH
 POLISHED


THICKNESS
 9 MM


FORMAT



PORCELAIN
STONEWARE

- 
 HIGH MODULE OF
BREAKAGE
- 
 RESISTANCE TO
FROST
- 
 RESISTANCE TO
ABRASION
- 
 LOW THERMAL
EXPANSION
- 
 RESISTANT TO
STAINS
- 
 LOW
ABSORPTION
- 
 RESISTANT TO
CHEMICAL
- 
 MINIMUM DEVIATION
FROM EDGE
- 
 UNDER FLOOR
HEATING



PERLATO IVERY



PERLATO NATURAL



PERLATO WHITE



SONATA BLACK


FINISHES
 COLORATO WITH
 POLISHED


THICKNESS
 9 MM


FORMAT



PORCELAIN
STONEWARE

- 
 HIGH MODULE OF BREAKAGE
- 
 RESISTANCE TO FROST
- 
 RESISTANCE TO ABRASION
- 
 LOW THERMAL EXPANSION
- 
 RESISTANT TO STAINS
- 
 LOW ABSORPTION
- 
 RESISTANT TO CHEMICAL
- 
 MINIMUM DEVIATION FROM EDGE
- 
 UNDER FLOOR HEATING



SONATA BLANCO



SONATA BROWN



SONATA GREY



SONATA IVORY

△ FINISHES
COLORATO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



SONATA NATURAL



TOBACCO BROWN



TOBACCO GREY



TOBACCO IVORY



 FINISHES
COLORATO WITH
POLISHED

 THICKNESS
9 MM

 FORMAT



PORCELAIN
STONEWARE



TOBACCO WHITE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION




RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



Almaty Choco



Aqua Blue Marble



Aqua Blue Onyx



Aqua Dark


FINISHES
 IRIS WITH
 POLISHED

THICKNESS
 9 MM

FORMAT



PORCELAIN
 STONEWARE




Aqua Gold



Aqua Grey Tone



Aqua marble



Aqua Onyx

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



Arron Red



Ash Yellow



Avenue Dark



Beige Golden

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Blue Green Veins



Blue Liquid Swirl



Blue Mauve



Blue Red Veins


FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



Burberry



Burberry White



Cloudy Onyx Beige



Cortona Grey

FINISHES
 IRIS WITH
 POLISHED

THICKNESS
 9 MM

FORMAT



PORCELAIN
 STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Emerald Green



Flowy Green



Fusion Wow



Georgia White

FINISHES
IRIS WITH
POLISHED


THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Gold Gem Brown



Gold Silver



Green Grey



Green Katni


FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE



Green Onyx



Grey Red Veins



Kashmiri Blue Red



Kashmiri Rustic Blue

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



Light Green Vinyl



Light Teal



Liliyana Brown



Luxury Green Ivory

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Luxury Light Pink



Luxury Peach



Luxury Peach White



Majesto Verde


FINISHES
 IRIS WITH
 POLISHED

THICKNESS
 9 MM


FORMAT



PORCELAIN
 STONEWARE



Mint Onyx



Natural Blue Onyx



Natural Breccia



Natural Mineral

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



Onyx Blue Grey



Onyx Cloudy Brown



Onyx Lady



Onyx Light Yellow


△ FINISHES
IRIS WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



Onyx Pink



Onyx Rosso



Onyx Snow



Opera Onyx Sky

FINISHES
IRIS WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Red Pink Onyx



Rio White



Rose Quartz



Rosy Olive


△ FINISHES
IRIS WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



Soft Green White



Soft Yellow White



Spaider Grey



Spring Multi

FINISHES
 IRIS WITH
 POLISHED

THICKNESS
 9 MM

FORMAT



PORCELAIN
 STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING




Stylish Natural Onyx



Teal Onyx



Turquoise Ivory



Vagli Rosato


FINISHES
 IRIS WITH
 POLISHED

THICKNESS
 9 MM


FORMAT



PORCELAIN
 STONEWARE



Versace Grey



Vetro Aqua



White Blue Murals



Yellow Chic



 FINISHES
IRIS WITH
POLISHED

 THICKNESS
9 MM

 FORMAT



PORCELAIN
STONEWARE



Yellow Ivory

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING


△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



ARBASCATO SATVARIO



Calcatta laza



BRILLO SATVARIO



CARLOS SATVARIO

FINISHES SATVARIO WITH POLISHED THICKNESS 9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ELEGANT GREY



FELIS WHITE



FRENCH WHITE



GRIGIO SATVARIO

△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT




PORCELAIN
STONEWARE



ITALIANO BLACK



JACOB PEARL



JAVIER SATVARIO



KAIMAN BLUE

FINISHES

SATVARIO WITH POLISHED

THICKNESS

9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



LIBARTO SATVARIO



LUCIDO SATVARIO



MARTIN GREY



MILD SATVARIO

△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



MISTRAL



OCTAVIANO SATVARIO



OSWALD SKY



PARTICIO MOON

△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE




PEARL BLUE



RAFAEL SATVARIO



RENATO SATVARIO



RIO-WHITE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING


△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT



PORCELAIN
STONEWARE



SATVARIO



SATVARIO GOLD



SATVARIO LUIZ



SILVESTRE SATVARIO

△ FINISHES
SATVARIO WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT





PORCELAIN
STONEWARE



STONEX STATUARIO



VALENTINO SATVARIO



VEGAS WEIGHT


△ FINISHES
3D WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



Blossom Bloom



Daisy Mosaic



Floral



Peony Paradise

△ FINISHES
3D WITH
POLISHED

≡ THICKNESS
9 MM


↔ FORMAT



PORCELAIN
STONEWARE




Windmill White




Block Grey

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Block Blue



Garden Glory

FINISHES
3D WITH
POLISHED

THICKNESS
9 MM


FORMAT

60x120cm


60x60cm

30x60cm

PORCELAIN
STONEWARE



Wood Geometric Structure



Grey White Stripes



Geometric Design



Plumeria carved stone

△ FINISHES
3D WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT




PORCELAIN
STONEWARE



White Orchid Vector



Vector damask



Paper Bloom



Sakura Flower

top

notch

tiles

Class in every Square



FINISHES

3D WITH POLISHED



THICKNESS

9 MM



FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN

STONEWARE



Triangle Tango

- 

HIGH MODULE OF BREAKAGE
- 

RESISTANCE TO FROST
- 

RESISTANCE TO ABRASION
- 

LOW THERMAL EXPANSION
- 

RESISTANT TO STAINS
- 

LOW ABSORPTION
- 

RESISTANT TO CHEMICAL
- 

MINIMUM DEVIATION FROM EDGE
- 

UNDER FLOOR HEATING

△ FINISHES
SUPER WHITE WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



ARIA WHITE



CALACATTA ORO



CASTILA WHITE



CRAFT TORQUE STATUARIO

△ FINISHES
SUPER WHITE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

↓ HIGH MODULE OF
BREAKAGE

❄ RESISTANCE TO
FROST

⤵ RESISTANCE TO
ABRASION

↕ LOW THERMAL
EXPANSION

☑ RESISTANT TO
STAINS

💧 LOW
ABSORPTION

🧪 RESISTANT TO
CHEMICAL

⚡ MINIMUM DEVIATION
FROM EDGE

🔥 UNDER FLOOR
HEATING



ITALIAN BLUE



OSET STATUARIO



REAL WHITE



SATVARIO GRAY

△ FINISHES
SUPER WHITE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



SIDORNO GREEN



SMOKE STATUARIO



STATUARIO VENETIAN



VENATO GOLD

FINISHES

THICKNESS

SUPER WHITE WITH POLISHED

9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN STONEWARE



VENEZIA STATUARIO

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE




UNDER FLOOR
HEATING




Almond Cream



Antique Azure



Ash Fusion



Ash Grey

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




Ashen Elegance



Beige Mirage



Blue Frost



Blue Pearl

FINISHES

BOOK MATCH WITH POLISHED

THICKNESS

9 MM

FORMAT


60x120cm

60x60cm


30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Blue Rustic Fusion



Blue Trim



Brownstone Blend



Caramel Swirl

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm


30x60cm

PORCELAIN
STONEWARE


- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Cinnamon Peach



Coastal Charm



Ocean Mist



Cream Ombre

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Creamy Espresso



Denim Cream



Denim Hues



Driftwood White



FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT



60x120cm



60x60cm



30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



Earthy Brown



Elegant Essentials



Grey Herringbone



Grey Mirage

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

HIGH MODULE OF
BREAKAGE

RESISTANCE TO
FROST

RESISTANCE TO
ABRASION

LOW THERMAL
EXPANSION

RESISTANT TO
STAINS

LOW
ABSORPTION

RESISTANT TO
CHEMICAL

MINIMUM DEVIATION
FROM EDGE

UNDER FLOOR
HEATING



Grey Mist



Linear Grey



Misty Marble



Misty Rose

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Mocha Mix



Neutral Oasis



Olive Haze



Rustic Charm

FINISHES
BOOK MATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE




UNDER FLOOR
HEATING



Sahara Beige



Snowgold



Stormy Hues



Taupe Fusion

FINISHES

THICKNESS

BOOK MATCH WITH POLISHED

9 MM

FORMAT


60x120cm

60x60cm

30x60cm

PORCELAIN

STONEWARE



Timeless Grey



Toffee Glaze

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



△ FINISHES
DC SERIES WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



60x120cm



60x60cm



30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE




UNDER FLOOR
HEATING




AMAZONE ASH



AMAZONE BEIGE



AMAZONE BLACK



AMAZONE BLUE

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



AMAZONE RED



AMAZONE WHITE



CRYSTAL ASH



CRYSTAL BLACK PEARL

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE



CRYSTAL CHOCCO



CRYSTAL ROYAL BLUE



CRYSTAL WHITE



CRYSTAL YELLOW

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



DRAGON BLUE



DRAGON ELITE



DRAGON JASPER



DRAGON SLATE

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING




DRAGON WHITE



DRAGON YELLOW



GALAXY MELODY BEIGE



GALAXY MELODY BLUE



FINISHES

DC SERIES WITH
POLISHED



THICKNESS

9 MM



FORMAT



60x120cm



60x60cm



30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE




UNDER FLOOR
HEATING




GALAXY MELODY GREEN



GALAXY MELODY MIST



LOTUS BIANCO



LOTUS BLUE

 FINISHES

DC SERIES WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



LOTUS BROWN



LOTUS_CREMA



LOTUS_Peach



MERCURY ASH

FINISHES

DC SERIES WITH POLISHED

THICKNESS


9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



MERCURY BLUE



MERCURY BUTTERSTOCH



MERCURY FERRY



MERCURY GREY

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



PULATI BROWN



PULATI DENIM



PULATI WHITE



REAL STONE BLUE

FINISHES
DC SERIES WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING




REAL STONE BRONZE



REAL STONE COPPER



REAL STONE CREMA



REAL STONE STEEL

FINISHES

THICKNESS

DC SERIES WITH POLISHED

9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



RUMBLE AQUA



RUMBLE BLACK



RUMBLE BLUE



RUMBLE FLURRY

 FINISHES

DC SERIES WITH
POLISHED

 THICKNESS

9 MM

 FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



RUMBLE STROME

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING

FINISHES
ENDMATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Antic Brown



Antique White



Beige Linen



BeigeWhisper

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Bold Brown



Bone White



Camel



Cloud Grey

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



Creamstone Mix



CreamyBeige



CreamyTimber



Dark Beige


FINISHES
 ENDMATCH WITH
 POLISHED


THICKNESS
 9 MM


FORMAT



PORCELAIN
STONEWARE

- 
 HIGH MODULE OF
BREAKAGE


 RESISTANCE TO
FROST


 RESISTANCE TO
ABRASION


 LOW THERMAL
EXPANSION


 RESISTANT TO
STAINS


 LOW
ABSORPTION


 RESISTANT TO
CHEMICAL


 MINIMUM DEVIATION
FROM EDGE



 UNDER FLOOR
HEATING



Earthy



Feathered White



FossilGrey



Gold Dust

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT




PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



GoldenVein Grey



Graphite Grey



Hazelnut



Light Grey Mix

FINISHES
ENDMATCH WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Linen Cream



Moonstone



Mossy Brown



Mushroom Cream

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Mystery White



Nova White



Onyx Super White



Oxford Sands


△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT




PORCELAIN
STONEWARE



Pale Ash



Peachy Sands



Pearl Ash



Pebble Cream

FINISHES

ENDMATCH WITH
POLISHED

THICKNESS

9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



Pebble Grey



Sandstone Gold



Rustic Ivory



Sandstone tiles

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM


↔ FORMAT

60x120cm


60x60cm

30x60cm

PORCELAIN
STONEWARE



Seashell White



Shadow Tracks



Slate Grey



SoftPeach

△ FINISHES
ENDMATCH WITH
POLISHED


≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Steel Grey



Steel Grey Ash



Stormy Grey



Sunset Peach

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE

- ↓ HIGH MODULE OF BREAKAGE
- ❄ RESISTANCE TO FROST
- ⤵ RESISTANCE TO ABRASION
- ↕ LOW THERMAL EXPANSION
- ☑ RESISTANT TO STAINS
- 💧 LOW ABSORPTION
- 🧪 RESISTANT TO CHEMICAL
- ⚡ MINIMUM DEVIATION FROM EDGE
- 🔥 UNDER FLOOR HEATING



Tan Oasis



Timeless Rust



Tropical Brown



Wheat Linen

△ FINISHES
ENDMATCH WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT




PORCELAIN
STONEWARE



White



White Ashwood



White Onyx

△

FINISHES

GRANITE WITH
POLISHED

≡

THICKNESS

9 MM


↔

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



Ocean Blue



Sand Brown



White Platinum



Oro Crystal

FINISHES

GRANITE WITH POLISHED

THICKNESS

9 MM

FORMAT

60x120cm


60x60cm

30x60cm


PORCELAIN

STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Powder Blue



Rustic Blue



China Red



Yellow Grey



FINISHES
GRANITE WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE




White Ice Blue



Grey Cloud



Yellow Creama



Dynamic Blue


△ FINISHES
GRANITE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



Cyan



Earthy



Rusty Yellow



Desert Brown

△ FINISHES
GRANITE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



Brown Suede



China Yellow



Brown rust



Egyptian Red

FINISHES
GRANITE WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



Huilou yellow



Blue Sparkle



Moss Green



Brown White



FINISHES

GRANITE WITH
POLISHED



THICKNESS

9 MM



FORMAT



60x120cm



60x60cm



30x60cm

PORCELAIN
STONEWARE



Ice Blue



Desert Cream



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ALCORA RED



AMAZONITE AQUA



AMAZONITE GREEN



BLAZE GREEN

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE



CALCATTÀ ORO RED



CANARIA AQUA



CANARIA GREY



CASTOR AQUA

FINISHES
PANTONE WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



CASTOR GREY



CLAIRE AQUA



CLAIRE FENTA



CRYSTAL MINT

 FINISHES

PANTONE WITH
POLISHED

 THICKNESS

9 MM

 FORMAT



PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



DALIM MINT



DALLAS GREEN



DALLAS TEAL



FLORIDA RAINBOW

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



FLORIDA WHITE



GLACIER SNOWFLAKE



GLESHIRE WHITE



GLESHIRE YELLOW

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT




PORCELAIN
STONEWARE



HIMALAYAN AQUA



LAVA GREY



LAVA OLIVE



MARMO BEIGE

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↔ FORMAT

60x120cm

60x60cm

30x60cm

PORCELAIN
STONEWARE



HIGH MODULE OF
BREAKAGE



RESISTANCE TO
FROST



RESISTANCE TO
ABRASION



LOW THERMAL
EXPANSION



RESISTANT TO
STAINS



LOW
ABSORPTION



RESISTANT TO
CHEMICAL



MINIMUM DEVIATION
FROM EDGE



UNDER FLOOR
HEATING



MARMO WHITE



MESTO WHITE



NICCOLO GREEN



NICCOLO YELLOW

FINISHES
PANTONE WITH
POLISHED


THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF
BREAKAGE
- RESISTANCE TO
FROST
- RESISTANCE TO
ABRASION
- LOW THERMAL
EXPANSION
- RESISTANT TO
STAINS
- LOW
ABSORPTION
- RESISTANT TO
CHEMICAL
- MINIMUM DEVIATION
FROM EDGE
- UNDER FLOOR
HEATING



ONYX BLAZE GREEN



ONYX BLAZE GREY



ONYX BLAZE PINK



ONYX BLAZE YELLOW

△ FINISHES
PANTONE WITH
POLISHED

≡ THICKNESS
9 MM

↕ FORMAT



PORCELAIN
STONEWARE

-  HIGH MODULE OF
BREAKAGE
-  RESISTANCE TO
FROST
-  RESISTANCE TO
ABRASION
-  LOW THERMAL
EXPANSION
-  RESISTANT TO
STAINS
-  LOW
ABSORPTION
-  RESISTANT TO
CHEMICAL
-  MINIMUM DEVIATION
FROM EDGE
-  UNDER FLOOR
HEATING



ONYX OLIVE PINK



ONYX ORO MINT



ONYX ORO PINK



ONYX VIOLA AQUA

FINISHES
PANTONE WITH
POLISHED

THICKNESS
9 MM

FORMAT



PORCELAIN
STONEWARE

- HIGH MODULE OF BREAKAGE
- RESISTANCE TO FROST
- RESISTANCE TO ABRASION
- LOW THERMAL EXPANSION
- RESISTANT TO STAINS
- LOW ABSORPTION
- RESISTANT TO CHEMICAL
- MINIMUM DEVIATION FROM EDGE
- UNDER FLOOR HEATING



ONYX VIOLA WHITE



PARADISE WHITE



PIATRA PISTACHIO



ROSALIA MIST

Technical Specification /

CHARACTERISITICS	STANDARD AS PER ISO-13006/EN14411 GROUP BLA	OUR VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & width	±0.5%	±0.3%	ISO-10545-2
Deviation in thickness	±0.5%	±0.4%	ISO-10545-2
Straightness in side	±0.5%	±0.1%	ISO-10545-2
Rectangularity	±0.5%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±02%	ISO-10545-2
Color Difference	Uniternd	No change	ISO-10545-16
Glosiness	As per mfg.	Min 90%	GLOSSO METER
Structural Properties			
Water absorption	<0.50%	<0.05%	ISO-10545-3
Apparent density	>2.0g/cc	>2.10g/cc	DIN 51082
Messavie Mechanical Properties			
Modulu's of repture	-Min.35N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1800 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
Surface mechanical Properties			
Resistance to surface abrasion (PEI rating)	As per mfg.	Min. Class-5	ISO-10545-7
MOH's hardness	As per mfg.	Min. 5	EN 101
Thermo Hygromtrtric Properties			
Frost Resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Mosture expansion	Nill	Nill	ISO-10545-10
Thermal expansion (COE)	Max.9.0x10	Max. 6.5x10 ⁹	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
Chemical Properties			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Min. Class5	ISO-10545-14
Safety Properties			
Slip resistance	As per mfg.	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmum given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15

Packing
Detail /

SIZE	PIECES/BOX	AREA/BOX	WEIGHT/BOX (Approx)
60x120cm	2 pcs.	1.44 Sq.Mtr.	38 Kgs.
60x60cm	2 pcs.	0.72 Sq.Mtr.	32.75 Kgs.
30x60cm	5 pcs.	0.9 Sq.Mtr.	18 Kgs.



e-mail : contact@topnotchtiles.com
web : [**www.topnotchtiles.com**](http://www.topnotchtiles.com)